

Reference List for Translating Clinical Practice Guidelines into Parent Education-power point presentation

Alphabetical Order:

1. Abbott A. Infant motor development and equipment use in the home. *Child: Care, Health and Development*. 2000;27(3):295.
2. Argenta L. Clinical classification of positional plagiocephaly. *The Journal of Craniofacial Surgery*. 2004;15(3):368.
3. Ballock R, Donh K. The prevalence of non muscular causes of torticollis in children. *J Pediatric Orthopedics*. 1996;16:500.
4. Binder H, Eng G, Gaiser J. Congenital muscular torticollis: Results of conservative management with long term follow up in 85 cases. *Arch Physical Med Rehab*. 1987;68(4):222.
5. Celayir AC. Congenital muscular torticollis: Early and intensive treatment is critical. A prospective study. *Pediatrics International*. 2000;42(5):504-507.
6. Chen M, Chang H, Yen M, Chen T. Predictive model for congenital muscular torticollis: Analysis of 1021 infants with sonography. *A Physical Med Rehabilitation*. 2005;86(11):2199.
7. Cheng J, tang S, Chen T, Wong M. The clinical presentation and outcome of treatment of congenital muscular torticollis in infants. a study of 1,086 cases. *Journal of Pediatric Surgery*. 2000;35(7):1091.
8. Cheng J, Wong M, Tang S, et al. Clinical determinants of the outcome of manual stretching in the treatment of congenial muscular torticollis in infants. *The Journal of Bone and Joint Surgery*. 2001;83A(5):679.
9. Christensen C, CLandsettle A, Antoszewski s, Ballard B, Carey H, Pax Lowes. L. Conservative management of congenital muscular torticollis: An evidence based algorithm and preliminary treatment parameter and recommendations. *Physical & Occupational Therapy in Pediatrics*. 2013:1-14.
10. Cranial Technology Inc. www.cranialtech.com.

11. Coulter, C., Lima, D. Tummy Time Tools. Children's Healthcare of Atlanta. Atlanta, Georgia. 2012. <http://www.choa.org/childrens-hospital-services/orthopaedics/programs-services/orthotics-and-prosthetics/~media/choa/documents/services/orthopaedics/o-and-p/tummy-time-tools-update-2012.pdf>
12. Demirbilek S, Atayurt H. Congenital muscular torticollis and sternomastoid tumor: Results of non operative treatment. *Journal of Pediatric Surgery*. 1999;34(4):549.
13. Dudek-Shriber I, Zelazny S. The effects of prone positioning on the quality and acquisition of developmental milestones in four month old infants. *Pediatric Physical Therapy*. 2007;19(1):48.
14. Emery C. The determinates of treatment duration for congenital muscular torticollis. *Phys Ther*. 1994;74(10):921.
15. Fetters L, Huang H. Motor development and sleep, play and feeding positions in very-low-birth weight infants with and without white matter disease. *Developmental Medicine & Child Neurology*. 2007;49(11):807.
16. Fradette J, Gagnon I, Kennedy E, Snider L, Majnemer A. Clinical decision making regarding intervention needs of infants with congenital muscular torticollis. *Pediatric Physical Therapy*. 2011;23(3):249.
17. Freed S, Coulter-O'Berry C. Identification and treatment of congenital muscular torticollis infants. *Journal of Pediatrics and Orthotics*. 2004;16(4):S18.
18. Haque S, Shafi B, Kaleem M. Imaging of torticollis in children. *Radiographics*. 2012;32:557.
19. Kaplan S, Coulter C, Fetter L. Physical therapy management of congenital muscular torticollis: An evidence-based clinical practice guideline. *Pediatr Phys Ther*. 2013;25:348.
20. Kennedy E, Majnemer A, Farmer J, Barr R, Platt R. Motor development of infants with positional plagiocephaly. *Phys Occup Ther Pediatr*. 2009;29(3):222.
21. Lizardo Art and the art of baby helmet painting. <https://www.facebook.com/pages/Lizardo-Art-and-the-art-of-baby-helmet-painting/207828829280728>
22. Laughlin J, Luerssen T, Dias M. Prevention and management of positional skull deformities in infants. *Pediatrics*. 2011;128:1236.
23. Losee J, Mason A, Dudas J, Hua L, Mooney M. Nonsynostic occipital plagiocephaly factors impacting onset, treatment and outcomes. *Plastic Reconstructive Surgery*. 2007;119(6):328.
24. Merkel S, Voepel-Lewis T, Malviya S. Pain assessment in infants and young children: The FLACC scale. *American Journal of Nursing*. 2002;102(10):55.

25. Monson R, Deitz J, Kartin D. The relationship between awake positioning and motor performance among infants who slept supine. *Pediatric Physical Therapy*. 2003;15(5):196.
26. Nuysink j, van Haastert I, Takken T, Helders P. Symptomatic asymmetry in the first six months of life: Differential diagnosis. *J Pediatrics*. 2008;167(6):613.
27. Ohman A. Children who had congenital muscular are not at higher risk for a delay in motor development at preschool age. 2013.
28. Ohman A, Beckung E. Reference values for range of motion and muscle function of the neck in infants. *Pediatric Physical Therapy*. 2008;20:53.
29. Ohman A, Mardbrink E, Stensby J, Beckung E. Evaluation of treatment strategies for muscle function. *Physiotherapy Theory and Practice*. 2011;27(7):463.
30. Ohman A, Nilsson S, Legerkvist A, Beckung E. Are infants with torticollis at risk of delays in early motor milestones compared with a control group of healthy infants. *Developmental Medicine & Child Neurology*,. 2009;51:545.
31. Ohman A, Nilsson S, Beckung E. Stretching treatment for infants with congenital muscular torticollis: Physiotherapist or parents? A randomized pilot study. *Physical Medicine and Rehabilitation*. 2010;2(12).
32. Ohman A. The immediate effects of kinesiology taping on muscular imbalance for infants with congenital muscular torticollis. *Physical Medicine and Rehabilitation*. 2012;4(7):504.
33. Oleszek J, Chang N, Apkon S, Wilson P. Botulinium toxin type A in the treatment of children with congenital muscular torticollis. *American Journal Physical Medicine and Rehabilitation*. 2005;84(10):813.
34. Persing J, Swanson L, Kaattwinkel J. Prevention and management of positional skull deformities in infants. *Pediatrics*. 2003;112(1):199.
35. Petronic I, Bdar R, Dirovic Dea. Congenital muscular torticollis in children, distribution, treatment duration and outcome. *Europe Journal of Physical Rehabilitation Medicine*. 2010;45(2):153.
36. Pin T, Eldridge B, Galea M. A review of the effects of sleep position, play position, and equipment use on motor development in infants. *Developmental Medicine & Child Neurology*. 2007;49(11):858.
37. Schertz M, Zuk L, Zin S, Nadam L, Schwartz DB, RS. Motor and cognitive developmental at one-year follow up in infants with torticollis. *Early Human Development*. 2008;84(1):9.

38. Schertz M, Zuk L, Green D. Long-term neurodevelopmental follow up of children with congenital muscular torticollis. *Journal of Child Neurology*. 2012;12(10):215.
39. Stellwagen L. Torticollis, facial symmetry and plagiocephaly in normal newborns. . 2008.
40. Stellwagen L, Hubbard E, Vaux K. Look at the stuck baby to identify congenital muscular torticollis. *Contemporary Pediatrics*. 2004;21(5):55.
41. Tessmer. A., Mooney P, Pelland L. A developmental perspective on congenital muscular torticollis: A Critical Appraisal of the Evidence. *Pediatric Physical Therapy*. 2010;22:378.
42. Tomczak. K., Rosman N. Torticollis. *Journal Child Neurology*. 2012;28(3):365.
43. vanVlimmeren L, van der Graff Y, Boere-Boonekamp M, L'Hoir M, Melders P, Engelberg R. Effects of Pediatric physical therapy on deformational plagiocephaly in children with positional preference. *Arch Pediatric Adolescent Medicine*. 2008;162(8):712.