

## References

1. Dohle S, Wansink B. Fit in 50 years: participation in high school sports best predicts one's physical activity after age 70. *BMC Public Health*. 2013;13:1100. doi:10.1186/1471-2458-13-1100.
2. Ardoy DN, Fernández-Rodríguez JM, Jiménez-Pavón D, Castillo R, Ruiz JR, Ortega FB. A Physical Education trial improves adolescents' cognitive performance and academic achievement: the EDUFIT study. *Scand J Med Sci Sports*. 2014;24(1):e52–61. doi:10.1111/sms.12093.
3. Swenson DM, Collins CL, Best TM, Flanigan DC, Fields SK, Comstock RD. Epidemiology of Knee Injuries among U.S. High School Athletes, 2005/2006-2010/2011. *Med Sci Sports Exerc*. 2013;45(3):462–469. doi:10.1249/MSS.0b013e318277acca.
4. Alentorn-Geli E, Myer GD, Silvers HJ, et al. Prevention of non-contact anterior cruciate ligament injuries in soccer players. Part 1: Mechanisms of injury and underlying risk factors. *Knee Surg Sports Traumatol Arthrosc*. 2009;17(7):705–29. doi:10.1007/s00167-009-0813-1.
5. Dai B, Herman D, Liu H, Garrett WE, Yu B. Prevention of ACL injury, part I: injury characteristics, risk factors, and loading mechanism. *Res Sports Med*. 2012;20(March 2015):180–97. doi:10.1080/15438627.2012.680990.
6. Ardern CL, Osterberg A, Tagesson S, Gauffin H, Webster KE, Kvist J. The impact of psychological readiness to return to sport and recreational activities after anterior cruciate ligament reconstruction. *Br J Sports Med*. 2014;48(22):1613–9. doi:10.1136/bjsports-2014-093842.
7. Ajuied A, Wong F, Smith C, et al. Anterior Cruciate Ligament Injury and Radiologic Progression of Knee Osteoarthritis: A Systematic Review and Meta-analysis. *Am J Sports Med*. 2013:1–11. doi:10.1177/0363546513508376.
8. Paterno M V, Rauh MJ, Schmitt LC, Ford KR, Hewett TE. Incidence of Second ACL Injuries 2 Years After Primary ACL Reconstruction and Return to Sport. *Am J Sports Med*. 2014;42(7):1567–1573. doi:10.1177/0363546514530088.
9. Mather RC, Koenig L, Kocher MS, et al. Societal and economic impact of anterior cruciate ligament tears. *J Bone Joint Surg Am*. 2013;95:1751–9. doi:10.2106/JBJS.L.01705.
10. Mall N a, Chalmers PN, Moric M, et al. Incidence and trends of anterior cruciate ligament reconstruction in the United States. *Am J Sports Med*. 2014;42(10):2363–70. doi:10.1177/0363546514542796.

11. LaBella CR, Hennrikus W, Hewett TE. Anterior Cruciate Ligament Injuries: Diagnosis, Treatment, and Prevention. *Pediatrics*. 2014;133(5):e1437–e1450. doi:10.1542/peds.2014-0623.
12. Noyes FR, Barber-Westin SD. Neuromuscular retraining intervention programs: do they reduce noncontact anterior cruciate ligament injury rates in adolescent female athletes? *Arthroscopy*. 2014;30(2):245–55. doi:10.1016/j.arthro.2013.10.009.
13. Acevedo RJ, Rivera-Vega A, Miranda G, Micheo W. Anterior cruciate ligament injury: identification of risk factors and prevention strategies. *Curr Sports Med Rep*. 2014;13(3):186–91. doi:10.1249/JSR.0000000000000053.
14. Hughes G, Watkins J. A risk-factor model for anterior cruciate ligament injury. *Sports Med*. 2006;36(5):411–28. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/16646629>.
15. Shultz SJ, Schmitz RJ, Benjaminse A, Chaudhari AM, Collins M, Padua D a. ACL Research Retreat VI: An update on ACL injury risk and prevention. *J Athl Train*. 2012;47(5):591–603. doi:10.4085/1062-6050-47.5.13.
16. Beynnon BD, Vacek PM, Newell MK, et al. The Effects of Level of Competition, Sport, and Sex on the Incidence of First-Time Noncontact Anterior Cruciate Ligament Injury. *Am J Sports Med*. 2014. doi:10.1177/0363546514540862.
17. Hewett TE, Zazulak BT, Myer GD. Effects of the menstrual cycle on anterior cruciate ligament injury risk: a systematic review. *Am J Sports Med*. 2007;35(4):659–668. doi:10.1177/0363546506295699.
18. Rahr-Wagner L, Thillemann TM, Mehnert F, Pedersen AB, Lind M. Is the use of oral contraceptives associated with operatively treated anterior cruciate ligament injury? A case-control study from the Danish Knee Ligament Reconstruction Registry. *Am J Sports Med*. 2014;42(12):2897–905. doi:10.1177/0363546514557240.
19. Fulton J, Wright K, Kelly M, et al. Injury risk is altered by previous injury: a systematic review of the literature and presentation of causative neuromuscular factors. *Int J Sports Phys Ther*. 2014;9(5):583–95. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=4196323&tool=pmcentrez&rendertype=abstract>. Accessed December 16, 2014.
20. Smith HC, Vacek P, Johnson RJ, et al. Risk Factors for Anterior Cruciate Ligament Injury: A Review of the Literature -- Part 1: Neuromuscular and Anatomic Risk. *Sport Heal A Multidiscip Approach*. 2012;4(1):69–78. doi:10.1177/1941738111428281.

21. Uhorchak JM, Scoville CR, Williams GN, Arciero R a, St Pierre P, Taylor DC. Risk factors associated with noncontact injury of the anterior cruciate ligament: a prospective four-year evaluation of 859 West Point cadets. *Am J Sports Med*. 2003;31(6):831–842.
22. Myer GD, Ford KR, Paterno M V, Nick TG, Hewett TE. The effects of generalized joint laxity on risk of anterior cruciate ligament injury in young female athletes. *Am J Sports Med*. 2008;36(6):1073–1080. doi:10.1177/0363546507313572.
23. Vaishya R, Hasija R. Joint hypermobility and anterior cruciate ligament injury. *J Orthop Surg (Hong Kong)*. 2013;21(2):182–4. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/24014780>. Accessed April 7, 2015.
24. Junge T, Wedderkopp N, Thorlund JB, Sjøgaard K, Juul-Kristensen B. Altered knee joint neuromuscular control during landing from a jump in 10-15 year old children with Generalised Joint Hypermobility. A substudy of the CHAMPS-study Denmark. *J Electromyogr Kinesiol*. 2015. doi:10.1016/j.jelekin.2015.02.011.
25. Shultz SJ, Schmitz RJ, Cone JR, et al. Changes in Fatigue, Multiplanar Knee Laxity, and Landing Biomechanics During Intermittent Exercise. *J Athl Train*. 2015:150219105224004. doi:10.4085/1062-6050-49.5.08.
26. Hughes G. A review of recent perspectives on biomechanical risk factors associated with anterior cruciate ligament injury. *Res Sports Med*. 2014;22(March 2015):193–212. doi:10.1080/15438627.2014.881821.
27. Sugimoto D, Alentorn-Geli E, Mendiguchía J, Samuelsson K, Karlsson J, Myer GD. Biomechanical and Neuromuscular Characteristics of Male Athletes: Implications for the Development of Anterior Cruciate Ligament Injury Prevention Programs. *Sport Med*. 2015. doi:10.1007/s40279-015-0311-1.
28. Hewett TE, Myer GD, Ford KR, et al. Biomechanical measures of neuromuscular control and valgus loading of the knee predict anterior cruciate ligament injury risk in female athletes: a prospective study. *Am J Sports Med*. 2005;33(4):492–501. doi:10.1177/0363546504269591.
29. Lin C-F, Gross M, Ji C, et al. A stochastic biomechanical model for risk and risk factors of non-contact anterior cruciate ligament injuries. *J Biomech*. 2009;42(4):418–423. doi:10.1016/j.jbiomech.2008.12.005.
30. Hewett TE, Myer GD, Ford KR. Anterior cruciate ligament injuries in female athletes: Part 1, mechanisms and risk factors. *Am J Sports Med*. 2006;34(2):299–311. doi:10.1177/0363546505284183.
31. Shimokochi Y, Shultz SJ. Mechanisms of noncontact anterior cruciate ligament injury. *J Athl Train*. 2008;43(4):396–408. doi:10.4085/1062-6050-43.4.396.

32. Wild CY, Steele JR, Munro BJ. Insufficient hamstring strength compromises landing technique in adolescent girls. *Med Sci Sports Exerc.* 2013;45(3):497–505. doi:10.1249/MSS.0b013e31827772f6.
33. Iguchi J, Tateuchi H, Taniguchi M, Ichihashi N. The effect of sex and fatigue on lower limb kinematics, kinetics, and muscle activity during unanticipated side-step cutting. *Knee Surgery, Sport Traumatol Arthrosc.* 2014;22(1):41–48. doi:10.1007/s00167-013-2526-8.
34. Swart E, Redler L, Fabricant PD, Mandelbaum BR, Ahmad CS, Wang YC. Prevention and screening programs for anterior cruciate ligament injuries in young athletes: a cost-effectiveness analysis. *J Bone Joint Surg Am.* 2014;96(9):705–11. doi:10.2106/JBJS.M.00560.
35. Herrington L, Myer GD, Munro A. Intra and inter-tester reliability of the tuck jump assessment. *Phys Ther Sport.* 2013;14(3):152–155. doi:10.1016/j.pts.2012.05.005.
36. Dallinga JM, Benjaminse A, Lemmink K a PM. Which screening tools can predict injury to the lower extremities in team sports?: a systematic review. *Sports Med.* 2012;42(9):791–815. doi:10.2165/11632730-000000000-00000.
37. Boyle KL, Witt P, Riegger-Krugh C. Intrarater and Interrater Reliability of the Beighton and Horan Joint Mobility Index. *J Athl Train.* 2003;38(4):281–285. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=314385&tool=pmcentrez&rendertype=abstract>. Accessed April 11, 2015.
38. Naal FD, Hatzung G, Müller A, Impellizzeri F, Leunig M. Validation of a self-reported Beighton score to assess hypermobility in patients with femoroacetabular impingement. *Int Orthop.* 2014;38(11):2245–50. doi:10.1007/s00264-014-2424-9.
39. Juul-Kristensen B, Hansen H, Simonsen EB, et al. Knee function in 10-year-old children and adults with Generalised Joint Hypermobility. *Knee.* 2012;19(6):773–778. doi:10.1016/j.knee.2012.02.002.
40. Cook G. *Movement.* Santa Cruz, CA: On Target Publications; 2011.
41. McCall A, Carling C, Nedelec M, et al. Risk factors, testing and preventative strategies for non-contact injuries in professional football: current perceptions and practices of 44 teams from various premier leagues. *Br J Sports Med.* 2014;48(18):1352–7. doi:10.1136/bjsports-2014-093439.
42. McCall a., Carling C, Davison M, et al. Injury risk factors, screening tests and preventative strategies: a systematic review of the evidence that underpins the

- perceptions and practices of 44 football (soccer) teams from various premier leagues. *Br J Sports Med*. 2015;1–8. doi:10.1136/bjsports-2014-094104.
43. Zalai D, Panics G, Bobak P, Csáki I, Hamar P. Quality of functional movement patterns and injury examination in elite-level male professional football players. *Acta Physiol Hung*. 2014;1(-1):1–9. doi:10.1556/APhysiol.101.2014.010.
  44. Letafatkar A, Hadadnezhad M, Shojaedin S. RELATIONSHIP BETWEEN FUNCTIONAL MOVEMENT SCREENING SCORE AND HISTORY OF INJURY. *Int J Sports Phys Ther*. 2014;9(1):21–27.
  45. Padua D a., DiStefano LJ, Beutler AI, de la Motte SJ, DiStefano MJ, Marshall SW. The Landing Error Scoring System as a Screening Tool for an Anterior Cruciate Ligament Injury–Prevention Program in Elite-Youth Soccer Athletes. *J Athl Train*. 2015;50(1):150326115639000. doi:10.4085/1062-6050-50.1.10.
  46. Padua D a, Marshall SW, Boling MC, Thigpen C a, Garrett WE, Beutler AI. The Landing Error Scoring System (LESS) Is a valid and reliable clinical assessment tool of jump-landing biomechanics: The JUMP-ACL study. *Am J Sports Med*. 2009;37(10):1996–2002. doi:10.1177/0363546509343200.
  47. Smith HC, Johnson RJ, Shultz SJ, et al. A prospective evaluation of the Landing Error Scoring System (LESS) as a screening tool for anterior cruciate ligament injury risk. *Am J Sports Med*. 2012;40(3):521–6. doi:10.1177/0363546511429776.
  48. Myer GD, Ford KR, Hewett TE. Tuck Jump Assessment for Reducing Anterior Cruciate Ligament Injury Risk. *Athl Ther Today*. 2008;13(5):39–44. doi:10.1055/s-0029-1237430.Imprinting.
  49. Sconce, E. Jones P. The validity of the Nordic hamstring lower as a field-based assessment of eccentric hamstring strength. *J Sport Rehabil*. 2015;24(1):13–20.
  50. Opar D a, Piatkowski T, Williams MD, Shield AJ. A Novel Device Using the Nordic Hamstring Exercise to Assess Eccentric Knee Flexors Strength: A Reliability and Retrospective Injury Study. *J Orthop Sports Phys Ther*. 2013;43(9):636–640. doi:10.2519/jospt.2013.4837.
  51. Sadoghi P, von Keudell A, Vavken P. Effectiveness of anterior cruciate ligament injury prevention training programs. *J Bone Joint Surg Am*. 2012;94(9):769–76. doi:10.2106/JBJS.K.00467.
  52. Michaelidis M, Koumantakis G a. Effects of knee injury primary prevention programs on anterior cruciate ligament injury rates in female athletes in different sports: A systematic review. *Phys Ther Sport*. 2013;15(3):200–210. doi:10.1016/j.ptsp.2013.12.002.

53. Gokeler A, Benjaminse A, Hewett TE, et al. Feedback techniques to target functional deficits following anterior cruciate ligament reconstruction: implications for motor control and reduction of second injury risk. *Sports Med.* 2013;43(11):1065–74. doi:10.1007/s40279-013-0095-0.
54. Benjaminse A, Gokeler A, Dowling A V., et al. Optimization of the Anterior Cruciate Ligament Injury Prevention Paradigm: Novel Feedback Techniques to Enhance Motor Learning and Reduce Injury Risk. *J Orthop Sport Phys Ther.* 2015;45(3):170–182. doi:10.2519/jospt.2015.4986.
55. Sugimoto D, Myer GD, Barber Foss KD, Hewett TE. Dosage effects of neuromuscular training intervention to reduce anterior cruciate ligament injuries in female athletes: meta- and sub-group analyses. *Sports Med.* 2014;44(4):551–62. doi:10.1007/s40279-013-0135-9.
56. Sugimoto D, Myer GD, Bush HM, Klugman MF, Medina McKeon JM, Hewett TE. Compliance with neuromuscular training and anterior cruciate ligament injury risk reduction in female athletes: a meta-analysis. *J Athl Train.* 47(6):714–23. doi:10.4085/1062-6050-47.6.10.