

References

1. Adelsberger R, Tröster G. Effects of Stretching and Warm-up Routines on Stability and Balance During Weight-lifting: A Pilot Investigation. *BMC Research Notes*. 2014; 7:938.
2. Bellar D, Hatchett A, Judge LW, Breaux ME, Marcus L. The Relationship of Aerobic Capacity, Anaerobic Peak Power and Experience to Performance in CrossFit Exercise. *Biology of Sport*. 2015; 32(4): 315-320.
3. Boutcher SH. High-Intensity Intermittent Exercise and Fat Loss: Review Article. *Journal of Obesity*. 2011; doi:10.1155/2011/868305.
4. Bryanton MA, Kennedy MD, Carey JP, Chiu LZF. Effect of Squat Depth and Barbell Load on Relative Muscular Effort in Squatting. *Journal of Strength and Conditioning Research*. 2012; 26(10): 2820-2828.
5. Butler RJ, Contreras M, Burton LC, Plisky PJ, Goode A, Kiesel K. Modifiable Risk Factors Predict Injuries in Firefighters During Training Academies. *Work*. 2013; 46(1): 11-17.
6. Calhoun G, Fry AC. Injury Rates and Profiles of Elite Competitive Weightlifters. *Journal of Athletic Training*. 1999; 34(3): 232-238.
7. Camacho R. The Safety of CrossFit from a Physical Therapy Viewpoint. *Breaking Muscle*. <http://breakingmuscle.com/functional-fitness/the-safety-of-crossfit-from-a-physical-therapy-viewpoint>. Accessed April 16, 2016.
8. Caterisano A, Moss RF, Pellingier TK, Woodruff K, Lewis VC, Booth W, Khadra T. The Effect of Back Squat Depth on the EMG Activity of 4 Superficial Hip and Thigh Muscles. *Journal of Strength and Conditioning Research*. 2002; 16(3): 428-432.
9. Can FMS and CrossFit Coexist? (2014, February 18). [Video File]. Retrieved from: http://www.functionalmovement.com/articles/Screening/2014-02-18_can_fms_and_crossfit_coexist.
10. Chachula LA, Cameron KL, Svoboda SJ. Association of Prior Injury with the Report of New Injuries Sustained During CrossFit Training. *Athletic Training & Sports Health Care*. 2016; 8(1): 28-34.
11. Chandler TJ, Wilson GD, Stone MH. The Effect of the Squat Exercise on Knee Stability. *Medicine and Science in Sports and Exercise*. 1989; 21(3): 299-303.
12. Cook G, Burton L, Hoogenboom BJ, Voight M. Functional Movement Screening: The Use of Fundamental Movements as an assessment of function – Part 1. *The International Journal of Sports Physical Therapy*. 2014; 9(3): 396-408.

13. Cook G, Burton L, Hoogenboom BJ, Voight M. Functional Movement Screening: The Use of Fundamental Movements as an assessment of function – Part 2. *The International Journal of Sports Physical Therapy*. 2014; 9(4): 549-563.
14. The CrossFit Training Guide. *CrossFit Library*. Retrieved from: http://library.crossfit.com/free/pdf/CFJ_Seminars_TrainingGuide_REV122011.pdf.
15. Cuchna JW, Hoch MC, Hoch JM. The Interrater and Intrarater Reliability of the Functional Movement Screen: A Systematic Review and Meta-analysis. *Physical Therapy in Sport*. 2015; doi:10.1016/j.ptsp.2015.12.002.
16. Donnelly DV, Berg WP, Fiske DM. The Effect of the Direction of Gaze on the Kinematics of the Squat Exercise. *Journal of Strength and Conditioning Research*. 2006; 20(1): 145-150.
17. Fainaru-Wada M. CrossFit's Big Growth Fuels Concerns. ESPN. http://espn.go.com/espn/otl/story/_/id/11262964/crossfit-explosive-growth-fuels-safety-concerns. July 27, 2014. Accessed April 16, 2016.
18. Garrison M, Westrick R, Johnson MR, Benenson J. Association Between the Functional Movement Screen and Injury Development in College Athletes. *International Journal of Sports Physical Therapy*. 2015; 10(1):21-28.
19. Glassman G. Foundations. *CrossFit Journal*. <http://journal.crossfit.com/2002/04/foundations.tpl#featureArticleTitle>. April 1, 2002. Accessed April 16, 2016.
20. Gremeaux V, Drigny J, Nigam A, Juneau M, Guilbeault V, Latour E, Gayda M. Long-term Lifestyle Intervention with Optimized High-Intensity Interval Training Improves Body Composition, Cardiometabolic Risk, and Exercise Parameters in Patients with Abdominal Obesity. *Am J Phys Med Rehabil*. 2012; 91(11): 941-950.
21. Gullett JC, Tillman MD, Gutierrez GM, Chow JW. A Biomechanical Comparison of Back and Front Squats in Healthy Trained Individuals. *Journal of Strength and Conditioning Research*. 2009; 23(1): 284-292.
22. Hak PT, Hodzovic E, Hickey B. The Nature and Prevalence of Injury During CrossFit Training. *Journal of Strength and Conditioning Research*. 2013; doi:10.1519/JSC.0000000000000318.
23. Hartmann H, Wirth K, Klusemann M. Analysis of the Load on the Knee Joint and Vertebral Column with Changes in Squatting Depth and Weight Load. *Sports Med*. 2013; 43: 993-1009.
24. Heinrich KM, Becker C, Carlisle T, Gilmore K, Hauser J, Frye J, Harms CA. High-intensity Functional Training Improves Functional Movement and Body Composition

- Among Cancer Survivors: a pilot study. *European Journal of Cancer Care*. 2015; 24: 812-817.
25. Heinrich KM, Patel PM, O'Neal JL, Heinrich BS. High-intensity Compared to Moderate-intensity Training for Exercise Initiation, Enjoyment, Adherence, and Intentions: An Intervention Study. *BMC Public Health*. 2014; 14: 789. Doi: 10.1186/1471-2458-14-789
 26. Hooper DR, Szivak TK, DiStefano LJ, Comstock BA, Dunn-Lewis C, Apicella JM, Kelly NA, Creighton BC, Volek JS, Maresh CM, Kraemer WJ. Effects of Resistance Training Fatigue on Joint Biomechanics. *Journal of Strength and Conditioning Research*. 2013; 27(1): 146-153.
 27. Knowles A, Herbert P, Easton C, Sculthorpe N, Grace FM. Impact of Low-volume, High-intensity Interval Training on Maximal Aerobic Capacity, Health-Related Quality of Life and Motivation to Exercise in Ageing Men. *Age*. 2015; 37(25): 1-12.
 28. Lavallee ME, Balam T. An Overview of Strength Training Injuries: Acute and Chronic. *Current Sports Medicine Reports*. 2010; 9(5): 307-313.
 29. Little JP, Gillen JB, Percival ME, Safdar A, Tarnopolsky MA, Punthakee Z, Jung ME, Gibala MJ. Low-volume High-intensity Interval Training Reduces Hyperglycemia and Increases Muscle Mitochondrial Capacity in Patients with Type 2 Diabetes. *J Appl Physiol*. 2011; 111: 1554-1560.
 30. Miller MB, Pearcey GEP, Cahill F, McCarthy H, Stratto SBD, Noftall JC, Buckle S, Basset FA, Sun G, Button DC. The Effect of a Short-Term High-Intensity Circuit Training Program on Work Capacity, Body Composition, and Blood Profiles in Sedentary Obese Men: A Pilot Study. *BioMed Research International*. 2014; doi:10.1155/2014/191797.
 31. Myer GD, Kushner AM, Brent JL, Schoenfeld BJ, Hugentobler J, Lloyd RD, Vermeli A, Chu DA, Harbin J, McGill SM. The Back Squat: A Proposed Assessment of Functional Deficits and Technical Factors that Limit Performance. *Strength Cond J*. 2014; 36(6): 4-27.
 32. O'Hara RB, Serres J, Traver KL, Wright B, Vojta C, Eveland E. The Influence of Nontraditional Training Modalities on Physical Performance: Review of the Literature. *Aviation, Space, and Environmental Medicine*. 2012; 83(10): 985-990.
 33. Ouellette KA, Brusseau TA, Davidson LE, Ford C, Hatfield DL, Shaw JM, Eisenman PA. Comparison of the Effects of Seated, Supine and Walking Inter-set Rest Strategies Upon Work Rate. *Journal of Strength and Conditioning Research*. Doi:10.1519/JSC.0000000000000885

34. Overmoyer GV, Reiser RF. Relationships Between Lower-Extremity Flexibility, symmetries, and the Y Balance Test. *Journal of Strength and Conditioning*. 2015; 29(5): 1240-1247.
35. Ozanian M. How CrossFit Became a \$4 Billion Brand. *Forbes: Sports Money*. <http://www.forbes.com/sites/mikeozanian/2015/02/25/how-crossfit-became-a-4-billion-brand/#7087ecc678c1>. February 25, 2015. Accessed April 16, 2016.
36. Partridge JA, Knapp BA, Massengale BD. An Investigation of Motivational Variable in CrossFit Facilities. *Journal of Strength and Conditioning Research*. 2014; 28(6): 1714-1721.
37. Physical Therapists' Role in Prevention, Wellness, Fitness, Health Promotion, and Management of Disease and Disability. *American Physical Therapy Association*. [http://www.apta.org/uploadedFiles/APTAorg/About_Us/Policies/Practice/PTRoleAdvocacy.pdf#search=%22About physical Roles in prevention in the promotion of health wellness fitness%22](http://www.apta.org/uploadedFiles/APTAorg/About_Us/Policies/Practice/PTRoleAdvocacy.pdf#search=%22About%20physical%20Roles%20in%20prevention%20in%20the%20promotion%20of%20health%20wellness%20fitness%22). June 3, 2015. Accessed April 19, 2016.
38. Plisky PJ, Gorman PP, Butler RJ, Kiesel KB, Underwood FB, Elkins B. The Reliability of an Instrumented Device for Measuring Components of the Star Excursion Balance Test. *North American Journal of Sports Physical Therapy*. 2009; 4(2): 92-99.
39. Plisky PJ, Rauh MJ, Kaminski TW, Underwood FB. Star Excursion Balance Test as a Predictor of Lower Extremity Injury in High School Basketball Players. *Journal of Orthopaedic and Sports Physical Therapy*. 2006; 36(12): 911-919.
40. Pope D. 10 Critical Principles Physical Therapists Need to Know About Crossfit for Successful Rehabilitation. *Fitness Pain Free By Dr. Dan Pope*. <http://fitnesspainfree.com/10-critical-principles-physical-therapists-need-to-know-about-crossfit-for-successfull-rehabilitation/>. December 22, 2013. Accessed April 16, 2016.
41. Price K. No Sign of CrossFit Boom Slowing Down. *Pittsburg Tribune Review*. <http://www.iclubs.com/more-news/no-sign-of-crossfit-boom-abating.html>. July 20, 2015. Accessed April 16, 2016.
42. Sato K, Fortenbaugh D, Hydock DS. Kinematic Changes Using Weightlifting Shoes on Barbell Back Squat. *Journal of Strength and Conditioning Research*. 2012; 26(1): 28-33.
43. Shaffer SW, Teyhen DS, Lorenson CL, Warren RL, Koreerat CM, Straseske CA, Childs JD. Y-Balance Test: A Reliability Study Involving Multiple Raters. *Military Medicine*. 2013; 178(11): 1264-1270.
44. Shing CM, Webb JJ, Driller MW, Williams AD, Fell JW. Circulating Adiponectin Concentration and Body Composition Are Altered in Response to High-Intensity Interval Training. *Journal of Strength and Conditioning Research*. 2013; 27(8): 2213-2218.

45. Siewe J, Rudat J, Röllinghoff M, Schlegel UJ, Eysel P, Michael JWP. Injuries and Overuse Syndromes in Powerlifting. *Int J Sports Med.* 2011; 32: 703-711.
46. Smith MM, Sommer AJ, Starkoff BE, Devor ST. CrossFit-Based High-Intensity Power Training Improves Maximal Aerobic Fitness and Body Composition. *Journal of Strength and Conditioning Research.* 2013; 27(11): 3159-3172.
47. Smith CA, Chimera NJ, Wright NJ, Warren M. Interrater and Intrarater Reliability of the Functional Movement Screen. *Journal of Strength and Conditioning Research.* 2013; 27(4): 982-987.
48. The System. *Functional Movement Systems.* Retrieved from: <http://www.functionalmovement.com/site/systemdefined>
49. Weisenthal BM, Beck CA, Maloney MD, DeHaven KE, Giordano BD. Injury Rate and Patterns Among CrossFit Athletes. *The Orthopaedic Journal of Sports Medicine.* 2014; 2(4): 1-7.
50. What is CrossFit? Crossfit.com. <https://www.crossfit.com/what-is-crossfit>. Accessed April 16, 2016.
51. Worthington M. What the WOD? Decoding the Language of CrossFit. *Men's Fitness.* <http://www.mensfitness.com/training/build-muscle/what-the-wod-decoding-the-language-of-crossfit>. Accessed April 17, 2016.